DATASHEET

BONBORI Type: Table light, Floor light Name:

PC1165 ID:

Designed by: Fumie Shibata Desing SS company



Download

Description

The gentle light of Bonbori pays tribute to a traditional Japanese lantern. Its skilfully crafted handblown glass and soft luminescence create a magical and festive ambience to be enjoyed as thoroughly in solitude as with family and friends. The new indoor light features special connectors developed by Brokis that make it easy to unplug and move outside to a covered exterior space, for instance.




Tech. description The light comprises a metal body, base bracket, glass shade, and diffusor. All metal components are crafted from stainless steel. The indoor light features special connectors developed by Brokis.

Colours options: https://brokis.sharepoint.com/:b:/s/brokis sp/ETD8jycjCEhFiPH6YGgnA2ABg4d1lg7iUAkEUBaOnfWDTw

CONSTRUCTION SPECIFICATION

Weight: 15.5 kg glass, metal **Construction material:** 2,400 mm Cord length [mm]: Floor Mounting: Indoor **Environment:**

DIMENSIONS [mm]



ELECTRICAL SPECIFICATION

Input voltage [V]: 230 V 50-60 Hz Frequency [Hz]: Max. power [W]: 60 W 20 **Coverage IP:** E27 Socket:

A+ to E depending on light source **Energy class:**

CERTIFICATIONS



Light source:

DATASHEET RECOMMENDED BULBS





CM8790

Socket E27

Type LED filament

Lamp wattage [W] 12 W

Input voltage [V] 220 - 240 VAC

 Energy class
 A+

 Flux [lm]
 1050 lm

 Light colour [K]
 2600 K

 CRI
 85+

 Lifespan [h]
 20000h

 Dimmable
 yes

Dimensions h x w 175 x 32 mm

[mm]



PRODUCT INFORMATION SHEET



Name BONBORI LARGE

Type floor lamp

ID PC1165



Description

The Bonbori collection, which was created by world-renowned Japanese designer Fumie Shibata, is available in both indoor and outdoor variants. The light is inspired by the traditional paper lamps that line the paths to shrines and temples during the annual paddy harvest festivals in Japan. In Japanese, the word bonbori not only denotes this traditional form of lighting, it also describes the soft light coming from within a snowy cave. The light uses a simple stainless-steel base finished in an environmentally friendly powder coating. The easily removable LED light source casts a gentle glow through a diffusor and laser-cut openings in the stainless steel. The likeness to the traditional bonbori lamp is achieved with an elegant handblown glass shade, an extraordinary piece crafted from multiple layers of carefully moulded glass. The shade comes in opal and opaline glass, while the metal base is available in black matte, copper metallic matte, or grey metallic matte. The gentle light of Bonbori pays tribute to a traditional Japanese lantern. Its skilfully crafted handblown glass and soft luminescence create a magical and festive ambience to be enjoyed as thoroughly in solitude as with family and friends. The new indoor light features special connectors developed by Brokis that make it easy to unplug and move outside to a covered exterior space, for instance.

Technical description

The new light uses a simple stainless-steel base finished in an environmentally friendly powder coating. The easily removable LED light source casts a gentle glow through a diffusor and laser-cut openings in the stainless steel. The likeness to the traditional bonbori lamp is achieved with an elegant handblown glass shade, an extraordinary piece crafted from multiple layers of carefully moulded glass. The collection uses connectors specially developed by Brokis with an internal insulator made of polyether ether ketone (PEEK), a thermoplastic with a melting point of approximately 300°C. The connectors have excellent mechanical properties (similar to those of aluminium) and insulating properties (similar to those of ceramics). The shade comes in opal and opaline glass, while the metal base is available in black matte, copper metallic matte, or grey metallic matte.

Glass Colour

smoke grey - transparent glass	Α	CGC516
smoke brown - transparent glass	Α	CGC538
opaline - transparent glass	Α	CGC38
triplex opal	Α	CGC39
Glass surface		
glossy surface	Α	CGSU66
Body finish		
metal - black matte powder coating	Α	CCS846
copper metallic	Α	CCS2748
grey metallic	Α	CCS2749
Connection method		
BROKIS connector 230V	Α	CCM2876
<u>Cable colour</u>		
textile cable - black	Α	CECL519
textile cable - light grey	Α	CECL1918
Recommended Bulbs		
230V, E27, 11W, 2700K, 1250lm, RA90, 360°, DIM	Α	CEBEU2750
<u>Dimmable version</u>		
TRIAC - STANDARD OPTION	Α	CEDV2865
CASAMBI CBU-TED	Α	CEDV2855