



Description

The first outdoor lighting collection in the Brokis portfolio, Bonbori was created by world-renowned Japanese designer Fumie Shibata, who took inspiration from the traditional paper lamps lining the paths to shrines and temples during the annual rice harvest festival in Japan.



Tech. description


The light comprises a metal body, base bracket, glass shade, and diffuser. All metal components are crafted from stainless steel. The light is IP44 compliant and is connected directly to inground wiring.

Colours options: https://brokis.sharepoint.com/:b:/s/brokis_sp/EWFII6xseeFGk3tXqV61MMwB8v3hFAL0PHo5ah3jZUIMNA

CONSTRUCTION SPECIFICATION

Weight:	6 kg
Construction material:	glass, stainless steel
Cord length [mm]:	-
Mounting:	Floor
Environment:	Outdoor

DIMENSIONS [mm]



ELECTRICAL SPECIFICATION

Input voltage [V]:	230 V
Frequency [Hz]:	50-60 Hz
Max. power [W]:	60 W
Coverage IP:	44
Socket:	E27
Light source:	-
Energy class:	A+ to E depending on light source

CERTIFICATIONS



DATASHEET

RECOMMENDED BULBS



Download



CM8790

Socket	E27
Type	LED filament
Lamp wattage [W]	12 W
Input voltage [V]	220 - 240 VAC
Energy class	A+
Flux [lm]	1050 lm
Light colour [K]	2600 K
CRI	85+
Lifespan [h]	20000h
Dimmable	yes
Dimensions h x w [mm]	175 x 32 mm



BROKIS®

BROKIS S.R.O.
ŠPANIĚLOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ

2020_08
PAGE 2

DATASHEET


RECOMENDED CANOPY



Download



CEILING CANOPY

Dimensions O x w [mm] 80x128 mm
Weight [kg] 0,3 kg
Material stainless steel



Drawing

Canopy bracket



PRODUCT INFORMATION SHEET



Name BONBORI OUTDOOR SMALL

Type floor lamp, outdoor lamp

ID PC1166



Description

The very first outdoor lighting collection in the Brokis portfolio, Bonbori was created by world-renowned Japanese designer Fumie Shibata, who took inspiration from the traditional paper lamps that line the paths to shrines and temples during the annual paddy harvest festivals in Japan. In Japanese, the word bonbori not only denotes this traditional form of lighting, it also describes the soft light coming from within a snowy cave. Manufactured in compliance with the IP44 rating for outdoor use, the light makes use of a simple stainless-steel base finished in an environmentally friendly weather-resistant powder coating. The easily removable LED light source, which can withstand below-freezing temperatures, casts a gentle glow through a diffuser and laser-cut openings in the stainless steel. The likeness to the traditional bonbori lamp is achieved with an elegant handblown glass shade, an extraordinary piece crafted from multiple layers of carefully moulded glass. The light comes with either opal or opaline glass, while the metal base is available in black matte, copper metallic matte, or grey metallic matte. The light is engineered for connection via underground wiring. Whether in the garden, on the terrace, or in other outdoor settings, the soft, gentle light of Bonbori pays tribute to a Japanese tradition by creating a unique and festive ambience to be enjoyed as thoroughly in solitude as with family and friends. There is also an interior version.

Technical description

Manufactured in compliance with the IP44 rating for outdoor use, the new light makes use of a simple stainless-steel base finished in an environmentally friendly weather-resistant powder coating. The easily removable LED light source, which can withstand below-freezing temperatures, casts a gentle glow through a diffuser and laser-cut openings in the stainless steel. The likeness to the traditional bonbori lamp is achieved with an elegant handblown glass shade, an extraordinary piece crafted from multiple layers of carefully moulded glass. The light comes with either opal or opaline glass, while the metal base is available in black matte, copper metallic matte, or grey metallic matte. The light is engineered for connection via underground wiring.

Glass Colour

smoke grey - transparent glass	A	CGC516
smoke brown - transparent glass	A	CGC538
opaline - transparent glass	A	CGC38
triplex opal	A	CGC39

Glass surface

glossy surface	A	CGSU66
----------------	---	--------

Body finish

metal - black matte powder coating	A	CCS846
copper metallic	A	CCS2748
grey metallic	A	CCS2749

Recommended Bulbs

230V, E27, 11W, 2700K, 1250lm, RA90, 360°, DIM	A	CEBEU2750
--	---	-----------

Dimmable version

TRIAC - STANDARD OPTION	A	CEDV2865
CASAMBI CBU-TED	A	CEDV2855