

# DATASHEET

Type: **BONBORI WALL**  
Name: Wall light  
ID: PC1280  
Designed by: Fumie Shibata Desing SS company



Download

## Description

The gentle light of Bonbori pays tribute to a traditional Japanese lantern. Its skilfully crafted handblown glass and soft luminescence create a magical and festive ambience to be enjoyed as thoroughly in solitude as with family and friends. The new indoor light features special connectors developed by Brokis that make it easy to unplug and move outside to a covered exterior space, for instance.

## Tech. description

The new Bonbori Wall lights meet the IP44 rating for outdoor lighting. The simple stainless-steel body is finished in an environmentally friendly weather-resistant powder coating. The easily removable LED light source, which can withstand below-freezing temperatures, casts a gentle glow through a diffusor and laser-cut openings in the stainless steel.




Colours options: [https://brokis.sharepoint.com/:b:/s/brokis\\_sp/EdKfYJlfqaRBsc6cWLX8vRMB14nPR5NSC80os-tmH92ikw](https://brokis.sharepoint.com/:b:/s/brokis_sp/EdKfYJlfqaRBsc6cWLX8vRMB14nPR5NSC80os-tmH92ikw)

## CONSTRUCTION SPECIFICATION

**Weight:** 4 kg  
**Construction material:** glass, metal  
**Cord length [mm]:** -  
**Mounting:** Wall  
**Environment:** Indoor/Outdoor

## DIMENSIONS [mm]



## ELECTRICAL SPECIFICATION

**Input voltage [V]:** 230 V  
**Frequency [Hz]:** 50-60 Hz  
**Max. power [W]:** 60 W  
**Coverage IP:** 20  
**Socket:** E27  
**Light source:** -  
**Energy class:** depending on light source

## CERTIFICATIONS



BROKIS S.R.O.  
ŠPANILOVA 1315/25  
163 00 PRAHA 6 - ŘEPY  
CZECH REPUBLIC

ORG ID 64940799  
VAT ID CZ64940799  
C 42174 MĚSTSKÝ SOUD  
V PRAZE

TEL +420 567 211 517  
TECHNICAL@BROKIS.CZ  
INFO@BROKIS.CZ  
WWW.BROKIS.CZ

2022\_01  
PAGE 1

# DATASHEET

## RECOMMENDED BULBS



Download



**CM8790**

<b>Socket</b>	E27
<b>Type</b>	LED filament
<b>Lamp wattage [W]</b>	11 W
<b>Input voltage [V]</b>	220 - 240 VAC
<b>Energy class</b>	E
<b>Flux [lm]</b>	1250 lm
<b>Light colour [K]</b>	2700 K
<b>CRI</b>	90
<b>Lifespan [h]</b>	20000h
<b>Dimmable</b>	yes
<b>Dimensions h x w [mm]</b>	175 x 32 mm



BROKIS®

BROKIS S.R.O.  
ŠPANILOVA 1315/25  
163 00 PRAHA 6 - ŘEPY  
CZECH REPUBLIC

ORG ID 64940799  
VAT ID CZ64940799  
C 42174 MĚSTSKÝ SOUD  
V PRAZE


TEL +420 567 211 517  
TECHNICAL@BROKIS.CZ  
INFO@BROKIS.CZ  
WWW.BROKIS.CZ

2022\_01  
PAGE 2



### INNER FIXTURE

Dimensions l x h [mm] 110 x 63 mm  
Weight [kg] 0,1 kg  
Material dural



### Drawing

### Hole placement

