DATASHEET
D/ (I/ (O) EE I

Type:IVYName:Floor light, Table lightID:PC1131Designed by:Lucie Koldová



Description

Nature and its life-giving beauty and strength serve as the model for a unique lighting concept called IVY. Just as the plant grows and climbs up the walls of a house, creating multiple images.




Tech. description The main structure of the light comprises a dural frame and glass shades fitted with G4 sockets. Stability is provided by a heavy base made of solid metal. The light is supplied with a power outlet adapter and special connector that plugs into the base.

Colours options: https://brokis.sharepoint.com/:b:/s/brokis_sp/EeMH0DKrtoFPIQkXOqj8sRsB-PD3QQCkIR60MWGtG4Ilqw

CONSTRUCTION SPECIFICATION

Weight: Construction material: Cord length [mm]: Mounting: Environment: 3 kg glass, metal 2,200 mm Table Indoor





ELECTRICAL SPECIFICATION

Input voltage [V]:
Freqvency [Hz]:
Max. power [W]:
Coverage IP:
Socket:
Light source:
Energy class:

100 - 240 V 50-60 Hz 2x 4 W LED 20 G4, 12VDC -A+ to B depending on light source





BROKIS S.R.O. ŠPANIELOVA 1315/25 163 00 PRAHA 6 - ŘEPY CZECH REPUBLIC

ORG ID 64940799 VAT ID CZ64940799 C 42174 MĚSTSKÝ SOUD V PRAZE TEL +420 567 211 517 TECHNICAL@BROKIS.CZ INFO@BROKIS.CZ WWW.BROKIS.CZ

DATASHEET RECOMMENDED BULBS





CM6200

Socket	G4
Туре	LED
Lamp wattage [W]	1.2 W
Input voltage [V]	12 VDC
Energy class	A+
Flux [lm]	91 lm
Light colour [K]	2700 K
CRI	90+
Lifespan [h]	20000h
Dimmable	yes
Dimensions h x w	10 x 28,4 mm
[mm]	



BROKIS S.R.O. ŠPANIELOVA 1315/25 163 00 PRAHA 6 - ŘEPY CZECH REPUBLIC

ORG ID 64940799 VAT ID CZ64940799 C 42174 MĚSTSKÝ SOUD V PRAZE TEL +420 567 211 517 TECHNICAL@BROKIS.CZ INFO@BROKIS.CZ WWW.BROKIS.CZ

PRODUCT LIST



Name	IVY TABLE	
Туре	table lamp	
ID	PC1131	
Description	Inspired by the life-giving beauty of plants, IVY is an elegant light precise in detail. Nature and its life-giving beauty and strength are the inspiration behin as the plant grows and climbs up the wall of a house, so too can IVY expar special system of modular components for a highly innovative take on deco installations. The light comprises a metal frame and a handblown matte ligh precise in craftsmanship all the way down to the smallest detail, IVY is a high and residential applications. In intimate home settings, for example, IVY can be augmented with branches from the other series in the collection. The orgrightfully holds its place in the realm of artistic, bespoke lighting solutions.	nd the unique lighting concept called IVY. Just nd into a variety of compositions. IVY features a rative lighting in both vertical and horizontal nt rose, opal, or smoke glass shade. Elegant and igh-tech lighting concept ideally suited to project n be used as a solitary source of light, or it can
Technical description	The techniques Brokis applies in the production of glass are rooted in centur master glassmakers. Precision crafting of handblown glass gives each proc quality. The glass shades are formed from multiple layers of molten glass, of glassmaker before being blown into the mould. The triplex opal glass of the used in the lighting industry today. Together with carefully guarded handcra transparent outer layers of crystal and an inner layer of white opal between properties. The collection uses connectors specially developed by Brokis w ketone (PEEK), a thermoplastic with a melting point of approximately 300°C properties (similar to those of aluminium) and insulating properties (similar to shades on the lights is very easy, thus simplifying installation and maintena cables are available in either white or anthracite grey. The collection also fe the lighting ambience in the interior.	luct a distinctive character and unmatched each of which is thoroughly scrutinized by the shades represents one of the finest materials ft techniques, the sandwich structure of two them lends the glass outstanding visual ith an internal insulator made of polyether ether C. The connectors have excellent mechanical to those of ceramics). Mounting the glass ance. The branches, ceiling canopies, and power

Glass Colour

smoke grey - transparent glass	А	CGC516
triplex opal	А	CGC39
light pink - transparent glass	А	CGC46
Glass surface		
acid-etched both side surface	AL	L CGSU881
Body finish		
iron - white matte powder coating	А	CCS845
iron - anthracite grey matte powder coating	А	CCS2675
Cable colour		
cable without textile - black	А	CECL2719
Recommended Bulbs		
12V, G4, 1.2W, 2700K, 91lm, DIM	AL	L CEB1818