DATASHEET

BROKIS

Name Wall light

Type Mona S

ID PC969

Description The collection is a showcase of original design and refined

combinations of materials, such as glass, metal, and wood. It features a tubular LED light source with a range of colour

temperatures to choose from.

Tech. description The light comprises a glass shade, metal body, and tubular LED

light source with triplex opal glass diffusor. The glass shade and LED light source assembly are secured with wooden endcaps.

The electronics are housed in the body of the light.



Dimensions [mm]

CONSTRUCTION SPECIFICATION


Weight [kg] 3 kg

Construction material glass, metal, wood

Cord length [mm] 2,200 mm

Mounting wall

Environment indoor



Certifications

CE





ELECTRICAL SPECIFICATION

Input voltage [V] 100-240 VAC

Frequency [Hz] 50-60 Hz

Max. power [W] 2.5 W

Coverage IP 20

Socket _

Light source non-user replaceable LED module

Energy class A+

DATASHEET

LIGHT SOURCE

LED MONAS

Type LED module

Lamp wattage [W] 2.5 W Input voltage [V] 24 VDC

Energy class A+

Flux [lm] > 180 lm

Light colour [K] 2,700/4,000/5,000 K

CRI 80+ Lifespan [h] 20,000 Dimmable yes (PWM)



Name function


integrated PWM rotary dimmer PWM dimming

Wall part

Dimensions Øxw [mm] 29x194mm

Weight [kg] 0.7 kg
Material metal

Drawing





BROKIS

PRODUCT LIST



Name MONA SMALL WALL

Type wall lamp

ID PC969

The Mona collection is based on the concept of penetrating forms. The light source boldly traverses the ample volume of smooth handblown glass to reveal the thrilling tension inherent in the design. The collection's essence, however, lies in its unconventional construction and refined combination of materials. It also boasts dimmable tubular LED light sources, developed by Brokis, each with a different colour temperature. The Mona Small collection includes wall and tables lights of

Combined craftsmanship / hand-blown glass in combination with oak and metal body. The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products. The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production.

Glass Colour

Technical description

Description

| transparent glass | Α | CGC23 |
|--|----|----------|
| smoke grey - transparent glass | Α | CGC516 |
| opaline - transparent glass | Α | CGC38 |
| black - transparent glass | Α | CGC602 |
| violet - transparent glass | Α | CGC554 |
| Glass surface | | |
| glossy surface | AL | L CGSU66 |
| Body finish | | |
| lamp body - black | Α | CCS727 |
| lamp body - white | Α | CCS732 |
| LED Source | | |
| 24V, LED, 2.5W, 2700K, 141lm, RA80+, DIM | Α | LEDS1986 |
| 24V, LED, 2.5W, 4000K, 173lm, RA80+, DIM | Α | LEDS1987 |
| 24V, LED, 2.5W, 5000K, 184lm, RA80+, DIM | Α | LEDS1988 |
| Dimmable version | | |
| integrated dimmer on the body of the light | Α | CEDV1463 |
| | | |

the smallest proportions compared with the other Mona collections.